

# Vestlige Kenya

**20/11 – 4/12 2021**



**Tur arrangeret af Avian Safaris med Moses som guide og David som chauffør.**

## Deltagere:

**Jørgen Jensen, Erik Danielsen, Lilly Sørensen (fotos) og Niels Bomholt (tekst)**

Hele turen var perfekt arrangeret. For at spare lidt havde vi ikke valgt de dyreste og fineste lodges, men det fungerede fint alle steder. Moses var en utrolig dygtig fugleguide, og David var en god chauffør og en rigtig kammerat. Vi kan absolut anbefale Avian Safaris og deres team.

## Dagsprogram:

19/11 fly Billund via Amsterdam til Nairobi

20/11 Nairobi National Park hele dagen

21/11 kørsel fra Nairobi til Mount Kenya, med stop ved Mvea Ricefields.

22/11 hele dagen ved Castle Lodge, Mount Kenya

23/11 kørsel fra Mount Kenya via Abedare Nationalpark til Lake Naivasha, også med stop ved Kinangop Plateau.

24/11 hele dagen ved Crater Lake Sanctuary og Lake Naivasha.

25/11 kørsel fra Lake Naivasha via Lake Nakuru til Lake Baringo.

26/11 ved Lake Baringo bl.a. med sejltur på søen

27/11 kørsel fra Lake Baringo til Kakamega Forrest med frokost på Kerio Wiew Hotel.

28/11 Kagamega Forrest med ophold på Rondo Retreat.

29/11 Kagamega Forrest med ophold på Rondo Retreat.

30/11 kørsel fra Kakamega til Lake Victoria. Sejltur på søen.

1/12 kørsel til Masai Mara med stop ved rismarker.


2/12 hele dagen Masai Mara. Picnic lunch i Serengetti, Tanzania.

3/12 formiddag i Masai Mara, eftermiddag kørsel til Nairobi. Test for Covid 19

4/12 formiddag Nairobi Botanisk Have. Eftermiddag Karen Blixen Museum. Aften fly hjem.

#### Lokaliteter:

**Nairobi National Park.** Efter kun 10 minutters kørsel fra hotellet var vi ved indgangen til nationalparken. Og allerede her på p-pladsen var der gang i fuglene. Der var flere forskellige solfugle og af fugle hjemmefra var der både løvsanger og skovsanger. Og da vi kørte lidt ind i parken, var en af de første fugle vi så en nattergal. Parken er på 120 km<sup>2</sup> og typisk afrikansk savanne. Lidt pudsigt er det, at man til den ene side kan se højhusene i Nairobi. Der er mange dyr og fugle at se på, og da vi hen på eftermiddagen kørte ud af parken, havde vi set 131 fuglearter. Så var turen allerede godt i gang.






Ung Stylteløber, Three-banded Plover, Spotted Thick-knee og Little Bee-eater alle fra Nairobi NP.

**Mvea Ricefields** Cirka midtvejs mellem Nairobi og Mount Kenya ligger et større fladt område med rismarker. Vi brugte 1½ time på at køre ad nogle småveje rundt i landskabet og gjorde holdt ved et par småsøer. Her var forskellige ænder bl.a. Atlingand, Flere hundrede Sort Ibis, isfugle, og mange væver fugle.



Høsten er i gang

**Mount Kenya Castle Lodge** På sydsiden af bjerget i et større skovområde ligger Castle Lodge i en højde på 2100 m. Så det var lidt køligt om natten. Vi var her i 2 døgn og brugte tiden på at finde fugle langs skovvejen. Dejligt Sted, især var det skønt at side på terrassen og kigge hen over skoven, mens solfugle fouragerede i de blomstrende buske og de store næsehornsfugle fløj larmende henover. Vi fik en del nye arter her. Nævnes skal Abbott's, Sharpe's og Waller's Starling som alle har en begrænset udbredelse. Vi var også begejstret over at se Bar-tailed Trogon og Hartlaub's Turaco. Af hjemlige fugle så vi forbavsende mange Munke.




*Udsigt til Mount Kenya*



*Bar-tailed Trogon, Hartlaub's Turaco og White-eyed Slaty Flycatcher fra Castle Lodge.*

**Aberdare National Park** På vejen fra Mount Kenya til sørerne i Rift Valley passerede vi denne højtliggende park. De nedre dele er skovbevoksede, mens de højtliggende, over 3.000 meter, har en helt speciel vegetation af græs og blomsterenge med lave buske. Et meget spændende sted. Der var også nogle spændende arter, som holdt til her i højlandet. Nævnes skal Alpine Chat, Slenderbilled Starling, Aberdare Cisticola og Jacksons Francolin



Fra Aberdare NP en Waterbuck, en Slenderbilled Starling, en Malachite Sunbird og en Augur Buzzard. Hønen er en Jackson's Francolin. Den findes kun i Kenya og kun over 2300 m.



Senere samme dag blev der gjort holdt ved en græsbevokset skråning nær Kinangop. En ung lokal mand var kommet på sin knallert, og han skulle vise os den stærkt truede Sharpe's Longclaw. Vi travede i spredt formation gennem det halvhøje græs, og til sidst lykkedes det. Her så vi også den smukke Golden-winged Sunbird.

**Lake Naivasha/Crator Lake Sanctuary** De 3 store sører i Rift Valley har de sidste par år været ude for en uforklarlig stor vandstandsstigning. Flere huse og hoteller er blevet oversvømmet. Vi boede godt i Crator Lake Tented Camp, her havde restauranten været oversvømmet, men vandet var faldet en smule igen, så lodgen var genåbnet.



Herligt var det at kunne spadsere ud gennem savnen omgivet af giraffer, zebraer, vortesvin og masser af fugle. Som en slags gardering fulgte bilen efter os i tilpas afstand.



Grey-crested Helmetshrike og Pearl-spotted Owlet set nær Lake Naivasha.



Nonnestenpikker på vinterferie fra Centralasiens stepper. Og hun og han af Hildebrandt's Francolin

**Lake Nakuru** Vi havde set frem til at besøge denne berømte fuglesø, der er kendt for sine tusindtallige flamingoer, men her var vandstanden også steget med flere meter, og det betød at mange flamingoer var draget til andre sører. Men der var dog stadig et par tusinde hovedsageligt Lille Flamingo. En del vadefugle sås også bl.a. Klyde, Brushane, Damklire og Dværgryle.



Stor flok af Hvid Pelikan, Lake Nakuru



Lille Flamingo, Marabou Stork, Stylteløber og Damklire fra Lake Nakuru

**Lake Baringo** Det var herfra vores Guide Moses kom fra, og det gav bonus. Han havde organiseret nogle kammerater til at holde øje med dagrastepladser for ugler og natravne.

Men først skulle vi på sejltur på søen



En dejlig tur langs bredden af den store sø. Der var ikke så mange vandfugle, men i de udgåede træer i vandkanten sad en del biæder og en enkelt Amurfalk fra det østlige Sibirien. Vi sejlede også ud til en mindre ø. Her fulgte to prægtige flodørne med os øen rundt. De var vant til at bådene havde en fisk med til dem. Her var også omkring 40 isfugle – Pied Kingfisher.



*Grøn Biæder og Amurfalk*

Efter bådturen kørte vi ud til en nærliggende airstrip. Her var så både natravne og ugler gemt. Det var fantastisk, at de kunne finde disse godt camouflerede fuglearter.



*Senegal Thick-knee og Tree-banded Courser – bemærk camouflagen*



*Standard-winged Nightjar og Slender-tailed Nightjar*





*Northern White-faced Owl og Nubian Woodpecker hun begge fra omegnen af Lake Baringo.*

I området så vi bl.a. også en Grayish Eagle-Owl, men den var vanskelig at få et foto af.

Fra Lake Baringo kørte vi vestpå og gjorde holdt ved nogle bakker. Her var der den meget smukke White-crested Turaco. Frokosten blev indtaget på det fine Kerio Wiew Hotel. Det ligger fint på en klippe, og flere forskellige rovfugle samt en Korthalet Ravn fløj forbi.

**Kakamega Forest** Skoven er et fragment af den Guinea-Congolesiske regnskov, som engang dækkede store dele af centrale og østlige Afrika. Den huser 3-400 fuglearter. For nogle af dem er denne skov deres eneste tilholdssted i Østafrika. Vi boede rigtig flot i en lodge i gammel engelsk kolonistil. Og der var 2 hele dage til rådighed her.

En ønskefugl, som vi var heldige at se et par gange, var Blue-headed Bee-eater. En anden stor oplevelse var da en White-spotted Fluftail løb over skovstien. Ellers var skoven noget domineret af bulbuller, vi havde 13 forskellige, men ret ens grå/grønne sager. På et tidspunkt kom en flok på flere hundred hvide storke kredsende hen over skoven.



*Kappecuereza er en flot abe med en meget lang hale. Black-and-white-casqued Hornbill var talrige og iørefaldende i skoven.*

**Victoria Søen** sidst på formiddagen ankom vi til denne Afrikas største sø, og til vores behagelige overraskelse var der også inkluderet en mindre sejltur på søen.



Langs bredden var der en del isfugle og i papyrus-skoven langs bredden fik vi kaldt den smukke Papyrus Gonolek frem.



Nogle fugle fra Victoria Søens bredder: Red-chested Sunbird, Malachite Kingfisher og Swamp Flycatcher.

Efter en god ½ dag ved søen, gik det næste morgen videre mod den store nationalpark. Undervejs gjorde vi et kort ophold ved nogle rismarker ved Ahero. Her var tusinder af Red-billed Quela.

**Masai Mara** Her ankom vi først på eftermiddagen, og taget blev rejst i vores bus, så vi kunne stå op og nyde safarikørslen. Sammen med Serengeti i Tanzania er det et meget stort sammenhængende savanne område med masser af dyr bl. a. over 2 millioner gnuer.

Vi havde 2 overnatninger i en teltlejr her



Man kan godt blive træt med så meget mad omkring sig.



Ung leopard hviler sig. 4 geparder med et impala-måltid. – nedenfor Bateleur og Sekretær





*Yellow-throated Sandgrouse og Southern Ground Hornbill fra Masai Mara.*

**Nairobi** Den sidste dag inden vi om aftenen skulle flyve hjem blev brugt i den botaniske have og ved Karen Blixens afrikanske farm. Begge steder gav sørme en ny art, henholdsvis Lemon Dove og White-starred Robin.



*Karen Blixens Farm og Cabanis's Greenbul, som var talrig i parken.*

**Artsliste** Den er på ikke mindre end 520 arter. En del mere end vi havde forventet. Men som vi kun kan gentage, var turen rigtig godt tilrettelagt af Avian Safaris, Og vi kan næsten ikke vente på, at vi en anden gang kan komme på tur med dem. Kun sete arter er noteret.

### **Strudse**


Common Ostrich – set Nairobi NP, Lake Baringo og Masai Mara.

## **Andefugle**

White-faced Whistling-Duck – 30 ved Mwea Ricefields og Lake Nakuru

Fulvous Whistling-Duck – 15 ved Mwea Ricefields

Knop-billed Goose – 3 ved Mwea Ricefields



*White-faced Whistling Duck og Knop-billed Goose han og hun*

Egyptian Goose – noteret 9 dage ialt 44 stk.

Garganey – Atlingand – 15 ved Mwea Ricefields

Blue-billed Teal – 10 Lake Nakuru

Northern Shoveler – Skeand – 100 Lake Nakuru

Yellow-billed Duck – i alt 6 set på 3 lokaliteter.

Red-billed Duck – 2 ved Mwea og 2 i Crator Lake

Southern Pochard – 1 ved Lake Nakuru

## **Hønsefugle**

Helmeted Guineafowl – set Nairobi NP, Lake baringo og Masai Mara i alt 65 fugle

Crested Francolin – 3 ved Lake Baringo

Coqui Francolin – 1 ved Lake Nakuru

Shelley's Francolin – 2 Nairobi NP

Jackson's Francolin – 15 i Aberdare NP

Hildebrandt's Francolin – 5 ved Crator Lake

Scaly Francolin – 1 Nairobi NP og 1 Mount Kenya

Yellow-necked Francolin – 6 Nairobi NP

Red-necked Francolin – 3 Masai Mara



*Shelley's Francolin og Yellow-necked Francolin begge fra Nairobi NP.*

### **Flamingoer**

Greater Flamingo – 100 Lake Nakuru

Lesser Flamingo – ca. 2000 Lake Nakuru

### **Lappedykkere**

Little Grebe – Lille Lappedykker - 60 Crator Lake, 20 Lake Nakuru, 2 Mwea og 3 Kinangop

Eared Grebe – Sorthalset Lappedykker - 3 Lake Nakuru

### **Duer**

Rock Pigeon (feral) – Nairobi

Speckled Pigeon – 5 set

Rameron Pigeon – 20 Mount Kenya

Delegorgue's Pigeon – 3 Mount Kenya

Lemon Dove – 3 Nairobi Botanical Garden

Dusky Turtle Dove – 1 Nairobi NP og 1 Crator Lake

Mourning Collared-Dove – set ved Lake Baringo

Red-eyed Dove – almindelig

Ring-necked Dove – ret almindelig

Laughing Dove – Lake Baringo og Nairobi



Emerald-spotted Wood-Dove – 4 Lake Baringo, 2 Kerio River Lodge, 1 Masai Mara

Tambourine Dove – 1 Mount Kenya og 1 Kakamega Forest

Namaqua Dove – 10 Lake Baringo

African Green Pigeon – 3 Crater Lake, 4 Kakamega og 1 Masai Mara

### **Sandhøns**

Yellow-throated Sandgrouse – 31 i Masai Mara

### **Trapper**

White-bellied Bustard – 1 Nairobi NP og 2 Masai Mara

Black-bellied Bustard – 10 Masai Mara

Hartlaub's Bustard – 1 Nairobi NP

### **Turacoer**

Great Blue Turaco – 2 Kakamega Forest

White-crested Turaco – 2 ved et stop mellem Lake Baringo og Kakamega.

Hartlaub's Turaco – 6 Mount Kenya, 2 Aberdare, 1 Nairobi bot. Garden, 1 Karen Blixen Museum

Ross's Turaco – 2 Kakamega Forest

Bare-faced Go-away-bird – 2 Masai Mara

White-bellied Go-away-bird – 4 Nairobi NP, 5 Lake Baaringo, 1 vest for Lake baringo

Eastern Plantain-eater – 3 ved Victoria Søen



*Black-bellied og White-bellied Bustard fra Masai Mara*

## Gøge

Blue-headed Coucal – 1 Aberdare NP

White-browed Coucal – 2 Mwea, 1 Crater Lake, 1 Lake Victoria og 3 Masai Mara



*White-browed Coucal sammen med 2 Greater Blue-eared Starling i Masai Mara*

Pied Cuckoo – 1 set under kørsel på vej til Mount Kenya

Dideric Cuckoo – 2 Nairobi NP og 2 Masai Mara

Red-chested Cuckoo – 2 Kakamega Forest

African Cuckoo – 1 Mount Kenya og 1 Crater Lake

Common Cuckoo – Gøg – 2 Crater Lake

### **Natravne**

Standard-winged Nightjar – 1 Lake Baringo

Slender-tailed Nightjar – 2 Lake Baringo

### **Sejlere**

Scarce Swift – 4 Mount Kenya

Alpine Swift -

Mottled Swift – 2 Kerio View Hotel

Nyanza Swift – 2 set mellem Lake Baringo og Kakamega

Little Swift – en hel del set både i Nairobi og Masai Mara

White-rumped Swift – 8 i Masai Mara

African Palm-Swift – 4 Nairobi NP, 1 Kakamega og Victoria Lake

### **Vandhøns**

White-spotted Flufftail – 1 set Kakamega Forest

Eurasian Moorhen – Rørhøne – 9 Nairobi NP, 1 Crater Lake, 1 Lake Baringo

Red-knopped Coot – 20 Lake Nakuru og 25 i lille dam nær Kinangop

Allen's Gallinule – 1 Mwea Ricefields

African Swamphen – 1 Mwea og 1 Lake Baringo

Black Crake – 4 Nairobi NP, 2 Mwea, 1 Crater Lake, 2 Lake Baringo, 2 Masai Mara

### **Traner**

Gray Crowned-Crane – 2 Nairobi NP, 2 Lake Nakuru, 2 vej mod Baringo, 3 Masai Mara

## Vadefugle

Water Thick-knee – 5 Lake Victoria

Senegal Thick-knee – 3 Lake Baringo

Spotted Thick-knee – 2 Nairobi NP, 1 Masai Mara

Black-winged Stilt – 13 Nairobi NP, 20 Lake Nakuru, 1 Lake Baringo, 1 Masai Mara

Pied Avocet – Klyde – 4 Lake Nakuru

Long-toed Lapwing – 4 Nairobi NP, 8 Mwea Ricefields, 4 Lake Naivasha

Blacksmith Lapwing – 6 Nairobi NP, 7 Mwea, 2 Lake Naivasha, 5 Lake Nakuru



*Blacksmith Lapwing og Wattled Lapwing*

Spur-winged Lapwing – 6 Nairobi NP, 10 Mwea, 4 Lake Baringo, 3 Lake Victoria, 2 Masai Mara

Black-winged Lapwing – 21 Masai Mara

Crowned Lapwing – 3 Nairobi NP, 2 Crater Lake, 1 Lake Nakuru, 36 Masai Mara

Wattled Lapwing – 12 Masai Mara

Caspian Plover – 15 Masai Mara

Kittlitz's Plover – 5 Lake Nakuru, 2 Lake Baringo

Common Ringed Plover – Stor Præstekrave – 10 Lake Nakuru

Three-banded Plover – 10 Nairobi NP, 1 Mwea, 1 Aberdare NP, 2 lake Nakuru, 2 Masai Mara

Greater Painted Snipe – 1 Lake Baringo

Lesser Jacana – 2 small dam near Kinangop

African Jacana – set på 7 lokaliteter.

Ruff – Brushane – 10 Lake Nakuru

Little Stint – Dværgryle – 50 Lake Nakuru

Common Snipe – Dobbeltbekkasin – 2 Nairobi NP, 2 ved Lake Baringo

African Snipe – 2 set i nærheden af Lake Naivasha

Common Sandpiper – Mudderklire – i alt 12 individer set spredt på 9 lokaliteter.

Green Sandpiper – Svaleklire – 2 Nairobi NP, 1 Aberdare NP, 4 Crater Lake, 1 Masai Mara

Common Greenshank – Hvidklire – 2 Nairobi NP, 1 Lake Nakuru

Marsh Sandpiper – Damklire – 1 Crater Lake, 10 Lake Nakuru

Wood Sandpiper – Tinksmed – 5 Nairobi NP, 5 Mwea, 4 Crater Lake, 2 nær Baringo, 1 Masai Mara

Temminck's Courser – 5 Masai Mara

Three-banded Courser – 2 Lake Baringo



*Temminck's Courser og Three-banded Courser*

## Måger og Terner

Gray-hooded Gull – 1 Lake Naivasha, 100 Lake Nakuru

Gull-billed Tern – Sandterne - 10 Lake Naivasha, 25 Lake Nakuru, 3 lake Baringo, 2 Lake Victoria

White-winged Tern – 5 Lake Nakuru, 5 Lake Baringo

Whiskered Tern – 3 Lake Naivasha, 30 Lake Nakuru

## Storke

African Openbill – 3 Mwea Ricefields, 6 Lake Nakuru, 1 Ahero Ricefields

Black Stork – 3 fløj over Nairobi NP

White Stork – 2 Crater Lake, 200 trak over Kakamega Forest, 50 Masai Mara

Saddle-billed Stork – 4 Masai Mara

Marabou Stork – 35 Nairobi City, 2 Nairobi NP, 1 Crater Lake, 1 Lake Naivasha, 2 Masai Mara

Yellow-billed Stork – 5 Nairobi NP, 5 Lake Nakuru, 10 nær Lake Baringo, 1 Victoria, 4 Masai Mara

Hammerkop – ialt 22 fugle noteret fra 8 lokaliteter.



*Yellow-billed Stork og Saddle-billed Stork fra Masai Mara og African Darter fra Lake Baringo*

## Skarver og Pelikaner

African Darter – 13 Nairobi NP, 3 Lake Nakuru, 23 Lake Baringo

Long-tailed Cormorant – 1 Nairobi NP, 15 Mwea, 2 Lake Nakuru, 30 Lake Baringo, 2 Lake Victoria

Great Cormorant – Skarv – 2 Lake Naivasha, 100 Lake Nakuru, 2 Lake Baringo

Great White Pelican – 200 Overflyvende Crater Lake, 1000 Lake Nakuru

Pink-backed Pelican – 20 Lake Nakuru

### **Hejre**

Gray Heron – Fiskehejre – 2 Nairobi NP, 1 Mount Kenya, 15 Lake Nakuru

Black-headed Heron – 2 Nairobi NP, 6 Mwea, 1 Mount Kenya, 4 Crater Lake, 3 Lake Victoria, 1

Ahero, 14 Masai Mara

Purple Heron – 2 Mwea, 2 Lake Baringo, 1 Lake Victoria.

Great Egret – Sølvhejre – 1 Lake Nakuru, 3 Lake Baringo, 1 Masai Mara

Intermediate Heron – 11 Mwea ricefields, 1 Lake Nakuru, 1 nær Lake Baringo

Little Egret – 1 Nairobi NP, 1 Crater Lake, 5 Lake Nakuru, 1 Lake Baringo, 5 Lake Victoria

Cattle Egret – almindelig

Squacco Heron – i alt 11 fugle set fordelt på 4 lokaliteter

Striated Heron – 1 Lake Naivasha, 2 Lake Baringo

Glossy Ibis – 270 Mwea Ricefields, 1 Lake Nakuru

African Sacred Ibis – 5 Nairobi City, 28 Nairobi NP, 4 Lake Nakuru, 1 Ahero Ricefields

Hadada Ibis – almindelig

African Spoonbill – 1 Nairobi NP, 25 Lake Nakuru, 5 Lake Baringo

### **Rovfugle**

Secretarybird – 2 Masai Mara

Osprey – Fiskeørn - 4 Crater Lake, 2 Lake Nakuru

Black-winged Kite – 1 Nairobi NP, 21 Masai Mara, hvor den var meget almindelig.

African Harrier-Hawk – 1 Mount Kenya, 1 Kakamega

European Honey-Buzzard – 1 Kakamega

White-headed Vulture – 1 Masai Mara

Lappet-faced Vulture – 4 Masai Mara

White-backed Vulture – 5 Nairobi NP, 3 Masai Mara

Rüppell's Griffon – 1 Crater Lake

Bateleur – 1 Nairobi NP, 4 Masai Mara

Black-chested Snake-Eagle - 5 Masai Mara

Brown Snake-Eagle – Lake Baringo, 2 Masai Mara

Bat Hawk – 1 Kakamega Forest

Crowned Eagle – 1 Aberdare NP, 2 Kakamega

Martial Eagle – 1 Nairobi NP, 1 Masai Mara



*Wahlberg's Eagle i Masai Mara og Long-crested Eagle ved Lake Victoria*

Long-crested Eagle – 3 Crater Lake, 1 Lake Victoria, 2 Masai Mara

Lesser Spotted Eagle – 1 Crater Lake, 1 Lake Nakuru, 1 Masai Mara

Wahlberg's Eagle – 1 Kerio View hotel, 2 Masai Mara

Tawny Eagle – 1 Nairobi NP, 4 Masai Mara

Steppe Eagle – 2 Lake Nakuru, 1 Masai Mara

Verreaux's Eagle – 1 Lake Baringo

Dark Chanting-Goshawk – 1 Masai Mara

Eastern Chanting-Goshawk – 1 Lake Nakuru

Eurasian Marsh-Harrier – 1 Mwea rice fields

African Marsh-Harrier – 1 Kerio view Hotel

Pallid Harrier – 1 Nairobi NP, 7 Masai Mara, hertil nogle ubestemte

Montagu's Harrier – 1 Crater Lake, 1 Lake Nakuru, 7 Masai Mara

African Goshawk – 2 Mount Kenya, 1 nærLake Naivasha, 1 Nairobi Botanisk Have

Shikra – 1 Lake Baringo, 2 Lake Victoria

Black Kite – almindelig, dog ikke set i Masai Mara.

African Fish Eagle – 12 Crater Lake/Lake Naivasha, 10 Lake Nakuru, 4 Lake Baringo

Common Buzzard – Musvåge – 1 Aberdare NP, 1 Crater Lake

Mountain Buzzard – 2 Mount Kenya

Augur Buzzard – 1 Nairobi NP, 4 Aberdare NP, 1 Crater Lake, 2 Lake Nakuru, 1 Kerio View Hotel

## **Ugler**

Barn Owl – Moses skarpe øjne opdagede i en hule på en ø i Lake Baringo

Northern White-faced Owl – 2 ved Lake Baringo

Grayish Eagle-Owl – 1 ved Lake Baringo

Pearl-spotted Owlet – 2 Crater Lake, 2 Lake Baringo

## **Musefugle**

Speckled Mousebird – almindelig

Blue-naped Mousebird – 9 ved Lake Baringo

## **Trogoner**

Bar-tailed Trogon – 1 Mount Kenya

## **Hærfugle**

Green Woodhoopoe – 6 Crater Lake, 3 Lake Baringo

White-headed Woodhoopoe – 3 Mount Kenya

Common Scimitarbill – 2 Aberdare NP



*Speckled Mousebird, Northern Carmine Bee-eater og Red-fronted Tinkerbird*

### **Næsehornsfugle**

Southern Ground-Hornbill – 7 Masai Mara

Crowned Hornbill – 1 Mount Kenya

Hemprich's Hornbill – 5 Lake Baringo

African Gray Hornbill – 1 ved Lake Baringo, 1 Masai Mara ( i den tanzaniske del)

Jackson's Hornbill – 4 ved Lake Baringo

Northern Red-billed Hornbill – 4 ved Lake Baringo

Silvery-cheeked Hornbill – 12 Mount Kenya, 2 Aberdare NP

Black-and-white-casqued Hornbill – 27 Kakamega Forest

### **Isfugle**

Malachite Kingfisher – 2 Nairobi NP, 4 Mwea, 1 Crater Lake, 1 Lake Nakuru, 3 Lake Victoria

African Pygmy Kingfisher – 1 ved Lake Baringo

Gray-headed Kingfisher – 4 Mwea rice fields, 1 Lake Baringo

Woodland Kingfisher – 5 Lake Victoria

Striped Kingfisher – 1 Nairobi NP, 1 Lake Baringo

Giant Kingfisher – 1 Mount Kenya

Pied Kingfisher – 2 Mwea, 2 Lake Naivasha, 56 Lake Baringo, 4 Lake Victoria, 1 Masai Mara

### **Biædere og Ellekrager**

Blue-headed Bee-eater – 4 Kakamega Forest. Desværre ingen fotos af denne skønne fugl.

White-fronted Bee-eater – 2 Lake Nakuru, 1 nær Masai Mara

Little Bee-eater – 3 Nairobi NP, 7 Masai Mara

Cinnamon-chested Bee-eater – 21 Mount Kenya, 1 Aberdare NP, 12 Kakamega, 2 Karen Blixen

White-throated Bee-eater – flok på ca. 50 i Kakamega Forest

Blue-cheeked Bee-eater – 1 nær Mwea, 20 Lake Baringo

European Bee-eater – Biæder – 15 Lake Nakuru, 15 Kakamega, 2 Masai Mara

Northern Carmine Bee-eater – 2 Lake Baringo

European Roller – 1 Mwea, 2 Mount Kenya, 1 Aberdare, 1 Crater Lake, 3 Lake Nakuru, 1 Baringo

Lilac-breasted Roller – 1 Crater Lake, 1 Lake Nakuru, 1 Patkawanin, 3 Masai Mara

Rufous-crowned Roller – 1 set på vejen mellem Lake Baringo og Kakamega

Broad-billed Roller – 1 Lake Victoria

### **Barbets (skægfugle)**

Yellow-billed Barbet – 1 Kakamega Forest

Red-and-yellow Barbet – 2 ved Lake Baringo

D'Arnud's Barbet (Usambiro) – 2 ved lejren i Masai Mara

Gray-throated Barbet – 25 Kakamega Forest

Moustached Tinkerbird – 2 Mount Kenya

Yellow-rumped Tinkerbird – 2 Mount Kenya, 1 Kakamega Forest, 2 Karen Blixen Farm

Red-fronted Tinkerbird – 2 ved Crater Lake, 1 ved Lake Baringo

Yellow-fronted Tinkerbird – 2 ved Lake Victoria

Yellow-spotted Barbet – 1 Kakamega Forest

Red-fronted Barbet – 1 ved Lake Baringo, 1 Kakamega Forest

Spot-flanked Barbet – 2 Nairobi NP

Black-throated Barbet – 3 ved Lake Baringo

White-headed Barbet – 3 Nairobi NP

Double-toothed Barbet – 1 ved Lake Victoria

### **Honeyguides**

Green-backed Honeyguide – 1 Nairobi NP, 1 Nairobi Bot. Garden

Lesser Honeyguide – 1 Crater Lake, 1 Lake Baringo

Scaly-throated Honeyguide – 1 Crater Lake

Greater Honeyguide – 1 Crater Lake

### **Spætter**

Cardinal Woodpecker – 1 Lake Nakuru, 1 Lake Baringo, 1 Kakamega Forest

Bearded Woodpecker – 2 Crater Lake

Golden-crowned Woodpecker – 2 Kakamega Forest

African Gray Woodpecker – 1 ved Lake Victoria

Mountain Gray Woodpecker – 1 Nairobi NP, 4 Crater Lake

Buff-spotted Woodpecker – 4 Kakamega Forest

Tullberg's Woodpecker – 1 Mount Kenya, 1 Aberdare NP

Nubian Woodpecker – 3 Crater Lake, 2 Lake Baringo, 1 nær Baringo

### **Falke**

Pygmy Falcon – 2 Lake Baringo

Eurasian Kestrel – Tårfalk – 1 Crater Lake, 1 Lake Nakuru, 1 Lake Baringo, 13 Masai Mara

Amur Falcon – 1 Lake Baringo

Eurasian Hobby – Lærkefalk – 1 Crater Lake, 1 Lake Nakuru

African Hobby – 1 Crater Lake

Lanner Falcon – Crater Lake, et par med stor unge Lake Baringo

### **Papagøjer**

Red-fronted Parrot – 14 Mount Kenya

Meyer's Parrot – 2 nær Baringo, 3 Masai Mara

### **Spurvefugle**

Gray Cuckooshrike – 1 Mount Kenya

Black Cuckooshrike – 3 Nairobi NP, 1 Aberdare NP, 1 Crater Lake, 1 Karen Blixen Museum

Petit's Cuckooshrike – 4 Kakamega Forest

Purple-throated Cuckooshrike – 1 Mount Kenya, 1 Kakamega

Eurasian Golden Oriole – Pirol – 1 Crater Lake

Western Black-headed Oriole - 1 Kakamega Forest

African Black-headed Oriole – 3 Crater Lake

Black-tailed Oriole – 6 Mount Kenya

Brown-throated Wattle-eye – 4 Kakamega Forest

Jamson's Wattle-eye – 3 Kakamega Forest

Chinspot Batis – 1 Nairobi NP, 1 Mount Kenya, 1 Aberdare NP, 1 Crater Lake, 2 Masai Mara

Pygmy Batis – 2 Lake Baringo

Gray-crested Helmetshrike – 6 Crater Lake

African Shrike-flycatcher – 4 Kakamega Forest

Brubru – 1 Nairobi NP, 1 Lake Baringo, 1 Masai Mara

Northern Puffback – 3 set mellem Lake Baringo og Kakamega

Black-backed Puffback – i alt 8 fugle set på forskellige lokaliteter.

Pink-footed Puffback – 1 Kakamega Forest

Brown-crowned Tchagra – 2 Aberdare, 1 Crater Lake, 1 Masai Mara

Lühder's Bushshrike – 2 Kakamega Forest

Tropical Boubou – 2 Gakou, 1 Aberdare NP, 6 Crater Lake

Black-headed Gonolek – 2 Cheptebo, 3 Lake Victoria

Papyrus Gonolek – 2 Lake Victoria

Slate-colored Boubou – 1 Nairobi NP, 1 Lake Baringo, 3 Masai Mara

Gray-green Bushshrike – 2 Kakamega Forest

Sulphur-breasted Bushshrike – 2 Crater Lake



*Black-fronted Bushshrike fra Mount Kenya og Gray-backed Fiscal fra Masai Mara*

Black-fronted Bushshrike – 1 Nairobi NP, 1 Mount Kenya

Gray-headed Bushshrike – 1 Lake Baringo

Sharpe's Drongo – 7 Kakamega Forest

Fork-tailed Drongo – Ialt 15 fugle noteret.

Black-headed Paradise-Flycatcher – 1 set på rede i Kakamega Forest

African-Paradise-Flycatcher – Ialt 16 fugle noteret

Red-Backed Shrike – Rødrygget Tornskade - 1 Nairobi NP

Red-tailed Shrike – 6 fugle bestemt.

Gray-backed Fiscal – 2 Lake Baringo, 28 Masai Mara

Long-tailed Fiscal – 10 Nairobi NP

Magpie Shrike – 2 Masai Mara

Mackinnon's Shrike – 2 Kakamega Forest

Northern Fiscal – 1 nær Gakuo, 1 Lake Nakuru

White-rumped Shrike – 3 Lake Baringo, 1 Patkwanin, 5 Masai Mara

Cape Crow – enkelte så langt langs vejene

Pied Crow – almindelig

Fan-tailed Raven – 1 set ved Kerio View Hotel

African Blue Flycatcher – 5 Kakamega Forest

White-bellied Tit – 1 Nairobi NP, 3 Mount Kenya, 4 Crater Lake, 2 Karen Blixen Museum

Dusky Tit – 15 Kakamega Forest

Somali Tit – 1 Lake Baringo

Mouse-colored Penduline-Tit – 1 Lake Baringo

Fischer's Sparrow-Lark – 2 Mwea Rice Fields

Rufous-naped Lark – 2 Nairobi NP, 2 Crater Lake, 7 Masai Mara

Red-capped Lark – 3 Nairobi NP, 13 Masai Mara

Somali Short-toed Lark – 2 Masai Mara

White-browed Crombec – 1 Kakamega Forest

Red-faced Crombec – 5 Nairobi NP, 2 Crater Lake, 1 Lake Baringo, 1 Masai Mara

Green Hylia – 1 Kakamega Forest

Turner's Eremomela – 1 Kakamega Forest

White-chinned Prinia – 2 Kakamega Forest

Black-colored Apalis – 1 Nairobi NP, 2 Mount Kenya, 4 Karen Blixen Museum

Gray Wren-Warbler – 3 Lake Baringo

Green-backed Carmaroptera – 3 Nairobi NP, 1 Mount Kenya, 7 Crater Lake, 5 Nairobi Bot. Garden

Olive-green Carmaroptera – 3 Kakamega Forest

Buff-bellied Warbler – 1 Nairobi NP, 1 Lake Baringo

Black-throated Apalis – 2 Mount Kenya



*Yellow-breasted Apalis fra Crater Lake og Mackinnon's Shrike fra Kakamega Forest*

Yellow-breasted Apalis – 1 Nairobi NP, 4 Crater Lake, 1 Lake Baringo, 1 Karen Blixen Museum

Buff-throated Apalis – 2 Kakamega Forest

Gray Apalis – 6 Mount Kenya

Tawny-flanked Prinia – 3 Nairobi NP, 2 Crater Lake, 1 Masai Mara, 2 Nairobi Bot. Garden

Banded Prinia – 2 Kakamega Forest

Red-fronted Prinia – 1 Lake Baringo

Black-faced Rufous-Warbler – 2 Kakamega Forest

Gray-capped Warbler – 1 Lake Naivasha, 1 nær Lake Baringo

Singing Cisticola – 2 Aberdare NP

Chubb's Cisticola – 5 Kakamega Forest

Hunter's Cisticola – 11 Mount Kenya, 2 Aberdare NP, 3 Kinangop

Rattling Cisticola – 1 Nairobi NP, 6 Crater Lake, 2 Masai Mara

Winding Cisticola – 2 Nairobi NP, 1 Crater Lake

Carruthers's Cisticola - 2 Lake Victoria

Levaillant's Cisticola – 2 Kinangop

Stout Cisticola – 1 Masai Mara

Croaking Cisticola – 2 Masai Mara

Aberdare Cisticola – 4 Aberdare NP, endemisk

Zitting Cisticola – 2 Nairobi NP, 1 Masai Mara

Pectoral-patch Cisticola – 3 Masai Mara

Eastern Olivaceous Warbler – 1 Nairobi NP, 2 Lake Baringo

Mountain Yellow-Warbler – 2 Mount Kenya

Upcher's Warbler – 1 Lake Baringo

African Reed Warbler – 1 Lake Victoria

Lesser Swamp Warbler – 1 Nairobi NP, 2 Mvea Rice Fields, 1 Lake Baringo

Greater Swamp Warbler – 1 Lake Victoria

Cinnamon Bracken-Warbler – 2 Mount Kenya

Highland Rush Warbler – 1 Lake Victoria

Plain Martin – 4 Nairobi NP, 10 Aberdare NP, 20 Lake Nakuru

Banded Martin – 2 Masai Mara

Rock Martin – 4 Nairobi NP, 3 Lake Baringo, 4 Kerio View Hotel

Barn Swallow – Landsvale - talrig. Ved Lake Naivasha overnattede mindst 1000 på telefontråde.

Angola Swallow – 12 ved Lake Victoria

Wire-tailed Swallow – 1 Crater Lake, 1 Lake Baringo, 3 Patkavanin, 5 Masai Mara

Red-rumped Swallow – 1 Nairobi NP, 2 Aberdare NP, 1 Kerio View Hotel

Lesser Striped Swallow – 1 Lake Baringo

Mosque Swallow – 1 Mount Kenya, 2 Aberdare NP, 4 Masai Mara

Common House-Martin – 2 Aberdare NP, 1 Crater Lake, 1 Patkavanin

White-headed Sawwing – 17 Kakamega Forest, 3 Masai Mara

Black Sawwing – 21 Mount Kenya, 3 Aberdare, 1 Crater Lake

Sombre Greenbul – 1 Nairobi NP

Slender-billed Greenbul – 3 Mount Kenya, 1 Kakamega Forest

Red-tailed Bristlebill – 3 Kakamega Forest

Shelley's Greenbul – 3 Kakamega Forest

Eastern Mountain Greenbul – 1 Mount Kenya

Joyful Greenbul – 8 Kakamega Forest

Yellow-throated Greenbul – 1 Kakamega Forest

Gray Greenbul – 1 Kakamega Forest

Ansorge's Greenbul – 1 Kakamega Forest

Plain Greenbul – 3 Kakamega Forest

Yellow-whiskered Greenbul – 3 Mount Kenya, 5 Kakamega, 1 Nairobi Bot. Garden

Northern Brownbul – 1 Lake Baringo

Toro Olive-Greenbul – 1 Kakamega Forest

Cabanis's Greenbul – 2 Mount Kenya, 3 Kakamega, 10 Nairobi Bot. Garden, 6 Karen Blixen

Common Bulbul – meget almindelig

Wood Warbler – Skovsanger - 1 Nairobi NP

Willow Warbler – Løvsanger - i alt 13 fugle set

Brown Woodland-Warbler – 2 Mount Kenya, 1 Aberdare NP

Uganda Woodland-Warbler – 3 Kakamega Forest

Eurasian Blackcap – Munk – 9 Mount Kenya

African Hill Babbler – 4 Mount Kenya

Brown Parisoma – 1 Nairobi NP, 1 Crater Lake

Greater Whitethroat – Tornsanger – 2 Nairobi NP

Pale White-eye – 1 Crater Lake

Kikuyu White-eye – 2 Nairobi NP, 17 Mount Kenya, 3 Nairobi Bot. Garden

Northern Yellow White-eye – 3 Crater Lake

Scaly-breasted Illadopsis – 2 Kakamega Forest

Rufous Chatterer – 2 Lomanira Restaurant, 4 Lake Baringo



Brown Babbler – 6 Patkawanin

Arrow-marked Babbler – 10 Crater Lake, 3 Olare restaurant nær Masai Mara

Black-lored Babbler – 2 Crater Lake, 1 Lake Nakuru, 2 Masai Mara

Northern Pied-Babbler – 12 Nairobi NP

Red-billed Oxpecker – 1 Nairobi NP, 1 Crater Lake, 4 Lake Baringo

Yellow-billed Oxpecker – 3 Nairobi NP, 2 Masai Mara

Wattled Starling – 25 Nairobi NP, 10 Lake Baringo

Violet-backed Starling – 1 Masai Mara

Slender-billed Starling – 6 Aberdare NP

Waller's Starling – 8 Mount Kenya

Bristle-crowned Starling – 2 Lake Baringo



*Violet-backed Starling og Rüppell's Starling – 2 smukke stære !*

Magpie Starling – 1 set i nærheden af Lake Baringo

Sharpe's Starling – 3 Mount Kenya

Abbott's Starling – 1 Mount Kenya

Stuhlmann's Starling – 8 Kakamega Forest

Hildebrandt's Starling – 2 Crater Lake, 2 Olare restaurant, 3 Masai Mara

Rüppell's Starling – 5 Lake Baringo, 6 Lake Victoria, 10 Masai Mara

Superb Starling – almindelig, i alt 62 indiv. Noteret

Greater Blue-eared Starling – 1 Lake Nakuru, 6 Masai Mara

Abyssinian Thrush – 2 Nairobi NP, 11 Mount Kenya, 2 Aberdare NP, 2 Karen Blixen, 2 Nairobi Bota.

African Dusky Flycatcher – 1 Nairobi NP, 3 Mount Kenya, 1 Aberdare NP, 1 Nairobi Bot. Garden

Spotted Flycatcher – Grå Fluesnapper – 1 Nairobi NP, 1 Crater Lake

Gambaga Flycatcher – 1 Lake Baringo

Swamp Flycatcher – 4 Lake Victoria

African Gray Flycatcher – 1 Crater Lake, 1 Lake Baringo



*Abyssinian Thrush fra Castle Lodge, Mount Kenya og White-browed Robin-Chat fra Crater Lake*

Pale Flycatcher – 2 Nairobi NP, 1 Masai Mara

Silverbird – 2 Lake Nakuru, 2 Masai Mara

Northern Black-Flycatcher – 1 Kakamega, 1 Masai Mara

Southern Black-Flycatcher – 1 Patkawanin

White-eyed Slaty Flycatcher – ret almindelig, i alt 16 fugle noteret.

Red-backed Scrub-Robin – 3 Nairobi NP, 1 Lake Baringo

Cape Robin-Chat – 1 Nairobi NP

Rüppell's Robin-Chat – 1 Aberdare NP, 2 Nairobi Bot. Garden, 1 Karen Blixen Museum

White-browed Robin-Chat – 6 Crater Lake, 2 Lake Baringo, 7 Kakamega Forest, 3 Masai Mara

Snowy-crowned Robin-Chat – 5 Kakamega Forest

Spotted Morning-Thrush – 1 Nairobi NP, 2 Lake Baringo, 1 Cheptebo

White-starred Robin – 1 Karen Blixen Museum. Den blev sidste nye art på turen.



Rüppell's Robin-Chat og Brown-chested Alethe er begge skulkere fra de tætte skove

Brown-chested Alethe – 1 Kakamega Forest

Equatorial Akalat – 3 Kakamega Forest

White-throated Robin – Irinia – 1 Nairobi NP

Thrush Nightingale – Nattergal – 1 Nairobi NP, 1 Crater Lake

Little Rock-Thrush – 2 Crater Lake

Rufous-tailed Rock-Thrush – 3 Nairobi NP, 2 Crater Lake

Whinchat – Bynkefugl – 1 Nairobi NP

African Stonechat – 2 Kinangop

Moorland Chat – 6 Aberdare NP


Sooty Chat – 5 Masai Mara

Northern Anteater-Chat – 4 Crater Lake, 10 Lake Nakuru

Northern Wheatear – Stenpikker – 1 Nairobi NP, 1 Crater Lake, 2 Masai Mara

Isabelline Wheatear – 1 Aberdare NP, 2 Lake Baringo, 2 Masai Mara

Pied Wheatear – 1 Crater Lake, 1 Serengeti (Tanzania)



*Moorland Chat fra højlandet i Aberdare NP og Abyssinian Wheatear en kær gæst på morgenbordet i Crater Lake*

Brown-tailed Chat – 1 Lake Baringo

Abyssinian Wheatear – 1 Crater Lake

Eastern Violet-backed Sunbird – 7 Lake Baringo

Collared Sunbird – 2 Nairobi NP, 2 Gakou, 2 Kakamega, 1 Masai Mara, 10 Nairobi Bot, 1 Karen Blix.

Green-headed Sunbird – 4 Kakamega Forest

Olive Sunbird – 3 Mount Kenya, 2 Kakamega Forest

Green-throated Sunbird – 1 Kakamega Forest

Amethyst Sunbird – 3 Nairobi NP

Scarlet-chested Sunbird – 4 Nairobi NP, 3 Crater Lake, 4 Lumanira r., 4 Lake Victoria, 1 Masai Mara

Hunter's Sunbird – 2 Lake Baringo

Tacazze Sunbird – 7 Mount Kenya

Bronze Sunbird – 4 Nairobi NP, 2 Aberdare NP, 1 Crater Lake, 7 Kakamega Forest

Malachite Sunbird – 4 Aberdare NP

Golden-winged Sunbird – 2 ved Kinangop

Northern Double-collared Sunbird – 2 Nairobi NP, 7 Mount Kenya, 1 Kakamega, 1 Nairobi Botanical

Eastern Double-collared Sunbird – 10 Mount Kenya

Beautiful Sunbird – 3 Lumanira Restaurant, 26 Lake Baringo

Mariqua Sunbird – 1 Lumanira Restaurant

Red-chested Sunbird – 7 ved Lake Victoria

Shining Sunbird – 1 Lake Baringo

Variable Sunbird – 1 Aberdare NP, 1 Kerio view hotel, 4 Nairobi Bot. Garden

White-billed Buffalo-Weaver – koloni i landsbyen Marigat nær Lake Baringo

White-headed Buffalo-Weaver – 4 Lake Baringo

Speckle-fronted Weaver – 1 Olare Restaurant nær Masai Mara



*White-browed Sparrow-Weaver og Speke's Weaver*

White-browed Sparrow-Weaver – 8 Nairobi NP, 32 Lake Baringo, 4 Patkawanin, 3 Cheptebo

Gray-headed Social-Weaver – 15 Masai Mara

Red-headed Malimbe – 3 Kakamega Forest

Red-headed Weaver – 2 Aberdare NP, 1 Crater Lake

Baglafecht Weaver – 6 Nairobi NP, 3 Mount Kenya, 2 Aberdare, 1 Crater, 1 Kakamega, 1 Karen Blix

Slender-billed Weaver – 15 Lake Victoria



En flok Gray-headed Social-weaver holder skarpt øje med en slange nede i græsset.

Black-necked Weaver – 3 Kakamega Forest

Spectacled Weaver – 8 Mount Kenya, 2 Crater Lake

Black-billed Weaver – 2 Kakamega Forest

Holub's Golden Weaver – 3 Nairobi NP

Northern Brown-throated Weaver – 3 Lake Victoria

Northern Masked-Weaver – 1 Lake Baringo

Vitelline Masked-Weaver – 8 Masai Mara

Speke's Weaver – 4 Mwea Rice Fields, 30 Olare restaurant

Vieillot's Weaver – 4 Kakamega Forest

Village Weaver – almindelig

Black-headed Weaver – 4 Victoria Søen

Golden-backed Weaver – 2 Victoria Søen, 2 Ahero Rice Fields

Chestnut Weaver – 40 Mwea Rice Fields, 2 Gakuo

Forest Weaver – 10 Kakamega Forest

Brown-capped Weaver – 7 Mount Kenya, 5 Kakamega Forest

Red-billed Quela – 2 Nairobi NP, 5 lake Baringo, mindst 5000 Ahero Rice fields

Southern Red Bishop – 3 Ahero Rice Fields

Yellow-crowned Bishop – 7 Mwea Rice Fields

White-winged Widowbird – 110 Mwea Rice Fields

Yellow-mantled Widowbird – 12 Masai Mara

Red-collared Widowbird – 20 Nairobi NP

Fan-tailed Widowbird – 4 Ahero Rice Fields

Gray-headed Silverbill – 6 Masai Mara

Bronze Mannikin - 3 Lake Victoria

Black-and-white Mannikin – 12 Mount Kenya



*Yellow-bellied Waxbill, Southern Red Bishop og Red-billed Quela*

Yellow-bellied Waxbill – 8 Mount Kenya

Abyssinian Crimsonwing – 2 Mount Kenya

White-breasted Nigrita – 1 Kakamega Forest

Gray-headed Nigrita – 4 Mount Kenya, 2 Kakamega Forest

Kandt's Waxbill – 5 Mount Kenya

Common Waxbill – 5 Kinangop, 1 Kakamega Forest

Qualfinch – 4 Masai Mara

Purple Grenadier – 5 Nairobi NP, 1 Crater Lake, 5 Masai Mara

Red-cheeked Cordonbleu – almindelig

Red-headed Bluebill – 3 Kakamega Forest

Green-winged Pytilia – 1 Lake Baringo

Red-billed Firefinch – 2 Nairobi NP, 10 Lake Baringo, 10 Patkawanin, 1 Masai Mara

Pin-tailed Whydah – 2 Nairobi NP, 1 Masai Mara

Eastern Paradise-Whydah – 2 Lake Baringo

Village Indigobird – 1 Mwea Ricefields, 1 Cheptobo

House Sparrow – 4 Olare Restaurant nær Masai Mara

Kenya Rufous Sparrow – 3 Nairobi NP, 4 Kinangop, 3 Olare Restaurant

Northern Gray-headed Sparrow – 5 nær Kakamega, 2 Lake Victoria

Parrot-billed Sparrow – 2 Lake Baringo

Swahili Sparrow – 4 Olare Restaurant

Chestnut Sparrow – 3 Olare Restaurant, 1 Masai Mara

Yellow-spotted Bush Sparrow – 2 Nairobi NP, 1 Lake Baringo

Cape Wagtail – 4 Aberdare NP

Mountain Wagtail – 3 Mount Kenya, 2 Kakamega Forest

Gray Wagtail – Bjergvipstjert – 1 Kakamega Forest

Western Yellow Wagtail – Gul Vipstjert – 12 Mwea Ricefields, 5 Lake Nakuru, 3 Lake Baringo

African Pied Wagtail – almindelig

African Pipit – 3 Nairobi NP, 1 Crater Lake

Long-billed Pipit – 2 Nairobi NP, 1 Masai Mara

Plain-backed Pipit – 6 Masai Mara

Sharpe's Longclaw – 3 ved Kinangop. Endemisk med meget begrænset udbredelse.

Yellow-throated Longclaw – 1 Lake Nakuru, 3 Masai Mara



*Plain-backed Pipit og Rosy-throated Longclaw fra Masai Mara*

Rosy-throated Longclaw – 4 Masai Mara

Yellow-fronted Canary – 2 Lake Victoria, 7 Masai Mara

African Citril – 1 Aberdare NP, 4 Crater Lake

Papyrus Canary – 2 Lake Victoria

Reichenow's Seedeater – 3 Nairobi NP

White-bellied Canary – 1 Nairobi NP

Brimstone Canary – 2 Nairobi NP, 2 Kinangop

Streaky Seedeater – 1 Nairobi NP, 9 Mount Kenya, 9 Aberdare, 5 Kinangop, 1 Karen Blixen

Thick-billed Seedeater – 5 Mount Kenya, 1 Aberdare NP

Yellow-crowned Canary – 12 Aberdare NP

Golden-breasted Bunting – 2 Crater Lake



*Masai Mara*



**THE END**

